maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate rmation Operations and Reports	or any other aspect of the , 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE				3. DATES COVERED		
1 MAR 2014 N/A				•		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Electronic Medical Records for Burn Centers: What Do Users Need?				5b. GRANT NUMBER		
6. AUTHOR(S) Cancio L. C., Serio-Melvin M., Garcia A., Salinas J.,				5c. PROGRAM ELEMENT NUMBER		
				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) United States Army Institute of Surgical Research, JBSA Fort Sam Hosuton, TX				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release, distributi	on unlimited				
13. SUPPLEMENTARY NO	OTES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	UU	2	RESTONSIBLE FERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

Electronic Medical Records for Burn Centers: What Do Users Need?

Leopoldo C. Cancio, MD, FACS, Maria Serio-Melvin, RN, MSN, Ada Garcia, RN, Jose Salinas, PhD

In its influential 2001 report, *Crossing the Quality Chasm*, the U.S. Institute of Medicine (IOM) proposed: "IT [information technology] must play a central role in the redesign of the health care system if a substantial improvement in health care quality is to be achieved in the coming decade." The U.S. government then launched a campaign (as part of the American Recovery and Reinvestment Act of 2009), Health Information Technology for Economic and Clinical Health, to support implementation and meaningful use of electronic health records (EHRs). That campaign is now underway.

Are we headed in the right direction? On April 27, 2012, several users participated in a Luncheon Symposium at the American Burn Association annual meeting in Seattle. The purpose of the symposium was to discuss the use of the EHR in burn centers. What ensued was a thorough discussion of the advantages and disadvantages of the current generation of EHRs, and of the desirable features of the next generation. We would like to summarize our impressions from that meeting.

The patient should come first: It was generally acknowledged that EHRs were developed mainly in response to financial forces within the hospital, eg, to improve coding and billing, rather than in response to direct patient-care needs.³ Effort now needs to be

From the U.S. Army Institute of Surgical Research, Fort Sam Houston, Texas.

Funded by the Comprehensive ICU Research Task Area, Combat Casualty Care Research Program, U.S. Army Medical Research and Materiel Command, Fort Detrick, Maryland.

The opinions or assertions contained herein are the private views of the authors and are not to be construed as official or as reflecting the official views of the Department of the Army or Department of Defense.

L.C.C. and J.S. are coinventors of Burn Resuscitation Decision Support System, a software program. They have assigned their rights to this invention to the U.S. Army.

Address correspondence to Leopoldo C. Cancio, MD, FACS, U.S. Army Institute of Surgical Research, 3400 Rawley E. Chambers Avenue, Fort Sam Houston, Texas 78234.

Copyright © 2013 by the American Burn Association 1559-047X/2014

DOI: 10.1097/BCR.0b013e31828a471f

expended to enhance the impact of the EHR on the quality of care. However, the high cost of developing an EHR is a barrier to improvement. Furthermore, some participants have encountered a significant requirement for "programming time" after the EHR is implemented to fashion a working system.

The EHR should help the healthcare professional (HCP): Similarly, it was generally felt that EHRs were not originally intended to help HCPs to do their jobs more efficiently, but that this should be a major factor in designing the next generation of EHRs. One participant observed that private physicians at his hospital refuse to use it, stating that the EHR is inefficient ("a waste of time"). Others highlighted an alternative approach: first, the importance of an involved and committed physician as the chief of the Information Management Office at his university hospital; second, the involvement of bedside registered nurses in IT administration.

Data metastasis: According to the experience of many nurses, EHRs cause an increased amount of time spent typing. Nurses and residents appear to have been pulled away from the bedside and to the keyboard. To some extent, this increased time spent documenting comes not from the EHR, but from other factors (such as a laudable effort to increase compliance with evidence-based practice). But the advent of the "paperless office" appears to have increased the amount of both digital and printed material involved in patient care. It is difficult to navigate the EHR to identify events of significance ("what really was done"). One participant wondered what a provider is legally required to review in an EHR that may accumulate many pages of digital content per patient per day. Such data metastasis does not prevent HCPs from making mistakes, such as the logging of incorrect vital signs imported from monitors in semiautomated fashion.

Images: Burn centers have a specific EHR needs. The first step in meeting these requirements is to recognize and document them. Requirements include a way to incorporate the burn wound diagram (eg,

Lund–Browder chart) and digital photographs into the EHR. One burn center has stand-alone software developed for burn-size determination, and this program can feed into the EHR. Participants would like to set up a "clearinghouse" or other method of sharing such burn-specific software, so that each center does not have to develop its own programs. A problem with images is that the large file sizes may cause systems to crash, indicating that burn centers must be provided with hardware solutions intended for image management.

Portals: One hospital uses three different EHRs for inpatient and outpatient care, and an HCP from that hospital described sifting through different data sources in search of useful information. Participants described communication problems between inpatient and outpatient EHRs. A proliferation of different programs within the hospital environment means that HCPs must manage multiple usernames and passwords on multiple devices. A preferred alternative is a single device with one portal, one username, and one password, which gains access to all the main data sources.

Custom displays: Data displays in the EHR cannot be customized with ease. This stands in contrast to a paper flow sheet in which only those vital signs and laboratory values appropriate for a given patient on a given day can be chosen for display, and on which 24 hours' worth of data can easily be displayed at once. Displays should be customizable for a specific HCP's role. A nurse may need a different data set than a surgeon or a respiratory therapist, and these role differences should be respected. One advantage of the EHR is legible notes. Again and again, however, participants stated that the EHR does not facilitate the identification and communication of essential elements of information. This was described as a problem with "emphasizing the important stuff." Ways to solve this problem include "reporting structures" and "power notes."

Mobility: Many burn centers now report using computers on wheels during multidisciplinary team rounds, and find them increasingly useful. Because of the central role of the EHR in burn care, it is not surprising that there may be competition over the computers on wheels if there is only one available. Battery time and wireless connectivity are current major problems with the use of these portable devices.

Concerns such as those expressed above are not unique to the burn community. In a follow-up report this year, the IOM addressed safety issues associated with the current generation of EHRs. Furthermore, in a dissenting view, a member of the IOM committee stated that EHRs should be regulated as high-risk (class III) medical devices by the Food and Drug

Administration.⁵ Others have argued that, at least, "this clinical intervention requires an evidence-based assessment similar to that to which other clinical innovations are subject." Specifically, computerized physician order entry may facilitate certain types of medical errors. Introduction of an EHR impeded communication among team members on rounds. Although EHRs are widely believed to improve the quality of care, the number of studies demonstrating such advantages is small. ^{9,10} One of the barriers to better health IT is lack of market incentives: end users do not buy the software.³

In conclusion, the EHR significantly changes patient-care processes in ways that are not fully understood. Burn HCPs have, to date, rarely been the drivers of these changes. We would like to encourage:

- Research on the impact of the EHR on provider efficiency and patient-care processes in burn centers;
- Documentation of burn-center–specific EHR requirements;
- Development of software for the specific needs of burn centers.

To this end, we welcome the work being done by the American Burn Association's Technology and Organization and Delivery of Burn Care Committees.

REFERENCES

- Committee on Quality Health Care in America, Institute of Medicine. Crossing the quality chasm: a new health system for the 21st century. Washington, DC: National Academy Press; 2001.
- 2. Blumenthal D. Launching HITECH. N Engl J Med 2010;362:382–5.
- 3. Mandl KD, Kohane IS. Escaping the EHR trap—the future of health IT. N Engl J Med 2012;366:2240–2.
- O'Malley AS. Tapping the unmet potential of health information technology. N Engl J Med 2011;364:1090–1.
- Committee on Patient Safety and Health Information Technology, Institute of Medicine. Health IT and patient safety: building safer systems for better care. Washington, DC: National Academies Press; 2012.
- 6. Lapinsky SE. Clinical information systems in the intensive care unit: primum non nocere. Crit Care 2009;13.
- Koppel R, Metlay JP, Cohen A, et al. Role of computerized physician order entry systems in facilitating medication errors. JAMA 2005;293:1197–203.
- 8. Morrison C, Jones M, Blackwell A, Vuylsteke A. Electronic patient record use during ward rounds: a qualitative study of interaction between medical staff. Crit Care 2008;12:R148.
- 9. Cebul RD, Love TE, Jain AK, Hebert CJ. Electronic health records and quality of diabetes care. N Engl J Med 2011;365:825–33.
- Schiff GD, Bates DW. Can electronic clinical documentation help prevent diagnostic errors? N Engl J Med 2010;362:1066–9.